



TebuStar 3.6L

For Use on Wheat to suppress *Fusarium* head blight (scab)

SECTION 18 SPECIFIC EXEMPTION

File Symbol: 07MT04

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF MONTANA UNDER SECTION 18 SPECIFIC EXEMPTION

These use directions must be in possession of the user at the time of pesticide application. It is a violation of Federal law to use this product in a manner inconsistent with its use directions. Read entire Directions for Use and Disclaimer of Warranties before using this product. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the registered product label for TebuStar 3.6L (EPA Reg. No. 42750-99).

Any adverse effects resulting from the use of TebuStar 3.6L under this specific exemption must be immediately reported to the State of Montana Department of Agriculture.

EFFECTIVE PERIOD:

This specific exemption expires July 20, 2007.

DIRECTIONS FOR USE

A maximum of 300,500 acres of wheat may be treated under this exemption.

RECOMMENDED APPLICATIONS

CROP	DISEASES	RATE OF TebuStar 3.6L
Wheat (including durum)	<i>Fusarium</i> head blight (scab)	4 fl oz per acre

USE DIRECTIONS

Apply TebuStar 3.6L as a preventive foliar spray when the earliest disease symptoms appear on the leaves or stems. For optimum disease control, the lowest rate of a spray surfactant should be tank-mixed with TebuStar 3.6L. TebuStar 3.6L may be applied in a minimum of 10 gallons of spray solution per acre by ground sprayer or in a minimum of 3 gallons of spray solution per acre by aircraft spray equipment.

Application through any type of irrigation equipment is prohibited.

Only one application may be made by ground or air at a rate of 4 fl. oz. product per acre per year. TebuStar 3.6L may be applied up through the beginning of flowering (Feekes 10.51). Application

may not be made within 30 days of harvest. Straw cut after harvest may be fed or used for bedding. Do not enter treated field for 12 hours after application.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to freshwater, estuarine and marine fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

Do not apply by ground or air within 100 feet of aquatic areas such as lakes, reservoirs, rivers, permanent streams, marshes or natural ponds and estuaries.

For emergencies call CHEMTREC toll free 24 Hours A Day 1-800-424-9300

For PRODUCT USE Information Call 1-800-247-8013 or visit at www.albaughinc.com

As with any crop protection product, always read and follow label directions.